

# Skinnia Wounds



## Apósito cicatrizante en gel

### Indicación

- Protección de heridas quirúrgicas
- Cortes
- Excoriaciones
- Rozaduras en caballos

### Modo de empleo

Aplicar una fina capa de gel suficiente para cubrir completamente la zona afectada tres veces al día. Esperar aproximadamente un minuto a que el producto se seque para que se forme el film.

### Composición

Etanol, Polímeros filmógenos.

### Especies de destino

Perro, gato y caballo.

### Modo de acción

Al ser aplicado, el alcohol ejerce una acción desinfectante inmediata, evaporándose en cuestión de segundos y favoreciendo así la formación del film protector sobre la piel. Además, gracias a la excelente combinación de excipientes, favorece el proceso de cicatrización acelerando así la curación de la piel dañada.

### Formato

Tubo de plástico con cánula de 30g.

### Precauciones

Mantener fuera del alcance y la vista de los niños. Evitar contacto con ojos y mucosas.

### Principales ventajas



Fácil aplicación  
Zonas de difícil acceso



Película transparente  
Vigilancia directa



No se elimina de la  
zona de aplicación



Aislamiento de la herida  
Alta permanencia



Barrera transpirable  
Evita la maceración

# CASO DE USO

**Nombre:** BRUNO | **Raza:** GOLDEN RETRIEVER | **Edad:** 9 AÑOS | **Estado:** HERIDA POR MORDISCO



Día 0



Día 7

# Skinnia Wounds

## Healing film-forming gel



### Indication

- Surgical wound protection
- Cuts
- Excoriations
- Chafing on horses

### How to use

Apply a thin layer of gel sufficient to completely cover the affected area three times a day. Wait approximately one minute for the product to dry to form a film.

### Composition

Ethanol, Film-forming polymers.

### Target species

Perro, gato y caballo.

### Mode of action

When applied, the alcohol has an immediate disinfectant action, evaporating in a matter of seconds and thus promoting the formation of a protective film on the skin. In addition, thanks to the excellent combination of excipients, it promotes the healing process, thus accelerating the healing of damaged skin.

### Format

30g Plastic tube with cannula.

### Cautions

Keep out of the reach and sight of children. Avoid contact with eyes and mucous membranes.

### Advantages



Easy application  
Areas of difficult access



Transparent film  
Direct surveillance



It is not removed from  
the area of application



Wound isolation  
High permanence



Breathable barrier  
Prevents maceration

# STUDY CASE

**Name:** BRUNO | **Breed:** GOLDEN RETRIEVER | **Age:** 9 YEARS | **Condition:** BITE WOUND



Day 0



Day 7